


The background of the entire page is a large, vibrant, abstract graphic. It features a grid-like pattern of squares in various colors, including red, yellow, green, blue, and purple. The squares are of different sizes and are arranged in a way that creates a sense of depth and movement. The overall effect is a modern, digital, and artistic background that complements the high-tech theme of the text.



产品概述

ISPE-12/24/40/55 (1250-3150) 556户外绝缘金属封闭开关柜，是本公司根据国际最新标准，结合我国实际情况，采用先进的设计理念，精心设计和制造的一种新型户外高压开关柜。该柜具有结构紧凑、体积小、重量轻、安装方便、运行可靠、维护简单等优点，广泛应用于电力系统、工矿企业、住宅小区等场所。

使用环境

1. 海拔高度：不超过1000m。
2. 环境温度：-40℃~+40℃。
3. 相对湿度：不大于95%（25℃时）。
4. 污染等级：不超过3级。







附件类型及介绍

图 11

相同电压等级用绝缘母线连接，每段母线长 10m。

图 12

图 13

图 14

图 15

图 16

图 17

图 18

图 19

图 20

图 21

图 22

图 23

图 24

图 25

图 26

图 27

图 28

图 29

图 30

图 31

图 32

图 33

图 34

图 35

图 36

图 37

图 38

图 39

图 40

图 41

图 42

图 43

图 44

图 45


图 46


图 47


图 48

图 49

图 50







二次万案图，半面布置图。

— *U.S. Fish and Wildlife Service, 1997* — *U.S. Fish and Wildlife Service, 1997*

